

FORM PTO-1390 (Modified)
(REV 11-2000)

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ATTORNEY'S DOCKET NUMBER

TRANSMITTAL LETTER TO THE UNITED STATES
DESIGNATED/ELECTED OFFICE (DO/EO/US)
CONCERNING A FILING UNDER 35 U.S.C. 371

310.1024

U.S. APPLICATION NO. (IF KNOWN, SEE 37 CFR

10/030285

INTERNATIONAL APPLICATION NO
PCT/NL00/00479INTERNATIONAL FILING DATE
7 July 2000PRIORITY DATE CLAIMED
13 July 1999

TITLE OF INVENTION

NANOCOMPOSITE COATINGS

APPLICANT(S) FOR DO/EO/US

FISCHER, Hartmut Rudolf; BATENBURG, Lawrence Fabian; MEINEMA, Harmen Anne; HOGERHEIDE, Marinus Pieter and RENTROP, Cornelis Hermanus Arnoldus

Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information.

1. ☒ This is a **FIRST** submission of items concerning a filing under 35 U.S.C. 371.
2. ☐ This is a **SECOND** or **SUBSEQUENT** submission of items concerning a filing under 35 U.S.C. 371
3. ☒ This is an express request to begin national examination procedures (35 U.S.C. 371(f)). The submission must include items (5), (6), (9) and (24) indicated below.
4. ☒ The US has been elected by the expiration of 19 months from the priority date (Article 31).
5. ☒ A copy of the International Application as filed (35 U.S.C. 371 (c) (2))
 - a. ☒ is attached hereto (required only if not communicated by the International Bureau).
 - b. ☒ has been communicated by the International Bureau
 - c. ☐ is not required, as the application was filed in the United States Receiving Office (RO/US).
6. ☐ An English language translation of the International Application as filed (35 U.S.C. 371(c)(2))
 - a. ☐ is attached hereto.
 - b. ☐ has been previously submitted under 35 U.S.C. 154(d)(4).
7. ☒ Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371 (c)(3))
 - a. ☐ are attached hereto (required only if not communicated by the International Bureau).
 - b. ☐ have been communicated by the International Bureau
 - c. ☐ have not been made, however, the time limit for making such amendments has NOT expired
 - d. ☒ have not been made and will not be made.
8. ☐ An English language translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).
9. ☐ An oath or declaration of the inventor(s) (35 U.S.C. 371 (c)(4)).
10. ☐ An English language translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371 (c)(5)).
11. ☒ A copy of the International Preliminary Examination Report (PCT/IPEA/409).
12. ☒ A copy of the International Search Report (PCT/ISA/210)

Items 13 to 20 below concern document(s) or information included:

13. ☐ An Information Disclosure Statement under 37 CFR 1.97 and 1.98.
14. ☐ An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included
15. ☒ A **FIRST** preliminary amendment
16. ☐ A **SECOND** or **SUBSEQUENT** preliminary amendment.
17. ☐ A substitute specification
18. ☐ A change of power of attorney and/or address letter.
19. ☐ A computer-readable form of the sequence listing in accordance with PCT Rule 13ter.2 and 35 U.S.C. 1.821 - 1.825
20. ☐ A second copy of the published international application under 35 U.S.C. 154(d)(4).
21. ☐ A second copy of the English language translation of the international application under 35 U.S.C. 154(d)(4)
22. ☒ Certificate of Mailing by Express Mail
23. ☒ Other items or information.

Acknowledgement postcard
Unexecuted Declaration (3 pages)

10/030285

PTO/PCT Rec'd 07 JAN 2002

310.1024

24. The following fees are submitted:

BASIC NATIONAL FEE (37 CFR 1.492 (a) (1) - (5)) :

- ☐ Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO, and International Search Report not prepared by the EPO or JPO .. \$1040.00
- ☒ International preliminary examination fee (37 CFR 1.482) not paid to USPTO but International Search Report prepared by the EPO or JPO . . . \$890.00
- ☐ International preliminary examination fee (37 CFR 1.482) not paid to USPTO but international search fee (37 CFR 1.445(a)(2)) paid to USPTO \$740.00
- ☐ International preliminary examination fee (37 CFR 1.482) paid to USPTO but all claims did not satisfy provisions of PCT Article 33(1)-(4) \$710.00
- ☐ International preliminary examination fee (37 CFR 1.482) paid to USPTO and all claims satisfied provisions of PCT Article 33(1)-(4) \$100.00

ENTER APPROPRIATE BASIC FEE AMOUNT =

-\$890.00

Surcharge of \$130.00 for furnishing the oath or declaration later than ☐ 20 ☒ 30 months from the earliest claimed priority date (37 CFR 1.492 (e))

\$130.00

CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE		
Total claims	18 - 20 =	0	x \$18.00	\$0.00	
Independent claims	3 - 3 =	0	x \$84.00	\$0.00	
Multiple Dependent Claims (check if applicable) <input type="checkbox"/>				\$0.00	

TOTAL OF ABOVE CALCULATIONS =

\$1,020.00

- ☐ Applicant claims small entity status. See 37 CFR 1.27). The fees indicated above are reduced by 1/2

\$0.00

SUBTOTAL =

\$1,020.00

Processing fee of \$130.00 for furnishing the English translation later than ☐ 20 ☐ 30 months from the earliest claimed priority date (37 CFR 1.492 (f)) +

\$0.00

TOTAL NATIONAL FEE =

\$1,020.00

Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31) (check if applicable). ☐

\$0.00

TOTAL FEES ENCLOSED =

\$1,020.00

Amount to be:
refunded \$
charged \$

- a. ☐ A check in the amount of _____ to cover the above fees is enclosed.
- b. ☒ Please charge my Deposit Account No. 50-0217 in the amount of \$1,020.00 to cover the above fees. A duplicate copy of this sheet is enclosed.
- c. ☒ The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. 50-0217. A duplicate copy of this sheet is enclosed.
- d. ☐ Fees are to be charged to a credit card. **WARNING:** Information on this form may become public. **Credit card information should not be included on this form.** Provide credit card information and authorization on PTO-2038

NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b)) must be filed and granted to restore the application to pending status.

SEND ALL CORRESPONDENCE TO.

Roberts & Mercanti, L.L.P.
EDC II
105 Lock Street, Suite 203
Newark, New Jersey 07103
Phone: (973) 621-0660
Fax: (973) 621-0774

**022856**

PATENT TRADEMARK OFFICE

SIGNATURE

Michael N. Mercanti

NAME

33,966

REGISTRATION NUMBER

January 7, 2002

DATE

310.1024

UNITED STATES PATENT & TRADEMARK OFFICE

Examiner: Unknown Art Unit: Unknown
Re: Application of: FISCHER, Hartmut Rudolf, et. al.
Serial No.: To be assigned
Filed: herewith
For: NANOCOMPOSITE COATINGS

APPENDIX I
VERSION WITH MARKINGS TO SHOW CHANGES MADE

IN THE CLAIMS:

Claim 7 has been amended as follows:

7. (Amended) A method according to claim 5 [or 6], wherein the modifier comprises at least one anionic group.

Claim 9 has been amended as follows:

9. (Amended) A method according to [any one of the preceding claims] claim 1, wherein the modifier comprises an aromatic group.

Claim 10 has been amended as follows:

10. (Amended) A method according to [any one of the preceding claims] claim 1, wherein the modifier comprises an organic dye.

Claim 11 has been amended as follows:

11. (Amended) A method according to [any one of the preceding claims] claim 1, wherein the diluent is polar.

Claim 12 has been amended as follows:

12. (Amended) A method according to [any one of the preceding claims] claim 1, wherein the polymer is selected from the group consisting of polyurethanes; polyacrylates; polymethacrylates; polyesters; polyethers; polyolefins; polystyrene; polyvinyl chloride; alkyds; nitrocellulose; epoxides; phenol resins; amino resins; silicones; polysiloxanes; organic-inorganic hybrid materials; and combinations thereof.

Claim 13 has been amended as follows:

13. (Amended) A method according to [any one of the preceding claims] claim 1, wherein [further] an initiator is dispersed into the diluent.

Claim 14 has been amended as follows:

14. (Amended) A composition for coating [obtainable according to any one of the preceding claims] prepared by the method of claim 1.

Claim 16 has been canceled.


Claim 17 has been amended as follows:

17. (Amended) A coating formed upon curing of an applied composition according to claim 14 [or 15].

New claim 19 has been added:

19. (New) A coating comprising the composition of claim 15.

K:\wpdocs\PATENT\310 Vereenigde\1024\appendix version wpd

<p>"Express Mail" mailing label no. EL 869 111 966 US Date of Deposit <u>January 7, 2002</u> I hereby certify that this correspondence and/or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above, in an envelope addressed to "Assistant Commissioner for Patents, Washington, DC 20231"</p> <p>ROBERTS & MERCANTI, L.L.P. By:  Sapna Ghosh</p>

310.1024

UNITED STATES PATENT & TRADEMARK OFFICE

Re: Examiner: Unknown Art Unit: Unknown
Application of: FISCHER, Hartmut Rudolf, et. al.
Serial No.: To be assigned
Filed: herewith
For: NANOCOMPOSITE COATINGS

PRELIMINARY AMENDMENT

Assistant Commissioner
for Patents
Washington, D.C. 20231

January 7, 2002

Sir:

Prior to the examination, please amend the above-identified patent application as follows:

IN THE CLAIMS:

Please amend claim 7 as follows:

7. (Amended) A method according to claim 5, wherein the modifier comprises at least one anionic group.

Please amend claim 9 as follows:

9. (Amended) A method according to claim 1, wherein the modifier comprises an aromatic group.

Please amend claim 10 as follows:

10. (Amended) A method according to claim 1, wherein the modifier comprises an organic dye.

Please amend claim 11 as follows:

11. (Amended) A method according to claim 1, wherein the diluent is polar.

Please amend claim 12 as follows:

12. (Amended) A method according to claim 1, wherein the polymer is selected from the group consisting of polyurethanes; polyacrylates; polymethacrylates; polyesters; polyethers; polyolefins; polystyrene; polyvinyl chloride; alkyds; nitrocellulose; epoxides; phenol resins; amino resins; silicones; polysiloxanes; organic-inorganic hybrid materials; and combinations thereof.

Please amend claim 13 as follows:

13. (Amended) A method according to claim 1, wherein an initiator is dispersed into the diluent.

Please amend claim 14 as follows:

14. (Amended) A composition for coating prepared by the method of claim 1.

Please cancel claim 16.**Please amend claim 17 as follows:**

17. (Amended) A coating formed upon curing of an applied composition according to claim 14.

Please add new claim 19:

19. (New) A coating comprising the composition of claim 15.

REMARKS

This amendment is being submitted to remove all multiple dependent claims which were presented during the international phase of the PCT for this application. Attached hereto is a marked-up version of the changes made to the claims by the preliminary amendment. The attached appendix is captioned "Version with markings to show changes made."


It is respectfully submitted that no new matter has been entered and that the present application is in all respects complete and in condition for favorable consideration.

If the Examiner has any questions regarding the amendment presented herein, it is requested that the Examiner contact the undersigned at the telephone number shown below.

An early and favorable action on the merits is earnestly solicited.

Respectfully submitted,


ROBERTS & MERCANTI, L.L.P.


Sapna Gadhia
Reg. No. 48,978

ROBERTS & MERCANTI, L.L.P.
105 Lock Street, Suite 203
Newark, New Jersey 07103
Phone: 973-621-0660
Fax: 973-621-0774

"Express Mail" mailing label no. EL 869 111 966 US
Date of Deposit January 7, 2002
I hereby certify that this correspondence and/or fee
is being deposited with the United States Postal Service
"Express Mail Post Office to Addressee" service under 37
CFR 1.10 on the date indicated above, in an envelope
addressed to: "Assistant Commissioner for Patents,
Washington, DC 20231"

ROBERTS & MERCANTI, L.L.P.

By: 
Sapna Gadhia

Title: Nanocomposite coatings

This invention relates to a composition for forming a coating, and to a coating formed from such composition.

In the literature, it has already been proposed several times to incorporate a layered inorganic filler, such as a clay, into a coating.

5 A difficulty here, however, is that compositions for coatings are normally based on polymeric systems in a diluent. These polymeric systems often have a hydrophobic character, whereas the filler has a more hydrophilic character. This makes the two components intrinsically immiscible.

10 There are different, more and less successful procedures known for alleviating the problem of the intrinsic immiscibility of the two materials. In most cases, to that end, an ion exchange is carried out, whereby ions between the sheets of the layered filler are exchanged for ions which have an organic character, which makes them compatible with the polymeric matrix.

15 Although in publications on this subject it is mentioned in most cases that the above-described method for uniting the layered filler and a polymeric matrix relates to both polymeric bulk materials and coatings, in practice only the issues involved in bulk materials are addressed.

20 In the case of coatings, there is, in addition to the above-outlined problem of the intrinsic immiscibility, another problem. After application, a composition for a coating should cure into a solid coating. This not only requires that the diluent evaporates, but also that a curing reaction occurs. This reaction is mostly initiated and/or catalyzed by heat, oxygen, addition of an extra reactant (crosslinking agent) or light (UV radiation). Of course,
25 the presence of the layered filler should not disturb the curing process. It has been found that this problem has not been adequately resolved yet in the prior art.

In European patent application 0 791 556 a water-dispersible organic clay complex is described, in which a quaternary ammonium ion is present in the interlamellar space of an expansible phyllosilicate. The ammonium ion comprises an oxypropylene unit and an oxyethylene unit.

5 The complex is used for controlling the rheology of a water-based coating agent.

The international patent application 98/56598 relates to a barrier coating consisting of an elastomer and a dispersed, layered filler in a liquid carrier. The coating is used in particular in (car) tires. In order to enable proper dispersion of the filler, which is preferably vermiculite, and the elastomer, in the liquid carrier, use is made of a surfactant. Examples of suitable surfactants that are mentioned are known wetting agents, antifoam agents, emulsifiers, dispersing agents and the like. Preferably, nonionic surfactants are used.

15 The object of the present invention is to provide a coating composition comprising a layered, functional inorganic filler, a polymeric matrix and a diluent, which does not have the disadvantages of the known compositions. What is contemplated in particular is that the composition, after being applied, cures to form a coating having very good properties, in particular barrier properties. It is then desirable that the filler has no or hardly any adverse effect on the curing reaction of the composition. What is further contemplated is for the filler to be homogeneously dispersed through the composition.

25 Surprisingly, it has presently been found that these objects can be achieved by subjecting the layered, inorganic filler to an ion exchange with a modifier before incorporating the filler in a composition for a coating, which modifier comprises at least two ionic groups, which groups are separated from each other by at least four atoms. Thus, the invention relates to a method for preparing a composition for a coating, wherein a layered, inorganic filler is subjected to an ion exchange with a modifier,

30

which modifier comprises at least two ionic groups, which groups are separated from each other by at least four atoms, and wherein the modified filler, together with a polymer, is dispersed in a diluent.

What is achieved according to the invention by the use of the specific modifier is that the layered inorganic filler together with the polymer is homogeneously dispersed in the diluent. Further, it has been found that the modified filler substantially does not have any adverse effect on the curing of the composition when it has been applied for forming a coating. The cured layer has particularly favorable properties, such as a reduced permeability to gases and liquids, and an improved heat resistance. Further, the coating has been found to possess improved surface properties (resistance to scratches and the like), without this affecting the bonding of the layer to a substrate or the flexibility of the layer.

The layered inorganic filler which is used according to the invention can be both cationic and anionic in nature. In principle, any anionic or cationic filler obtained synthetically or from a natural source can be used. Suitable examples can be selected from the classes of clays and layered double hydroxides.

Eminently suitable are clay types based on layered silicates, such as layered phyllosilicate which is made up of magnesium and/or aluminum silicate layers each about 7-12 Å thick. Particularly preferred are smectite-type clay minerals such as montmorillonite, saponite, hectorite, fluorohectorite, beidellite, nontronite, vermiculite, halloysite and stephanite. These materials impart very favorable mechanical properties and an increased thermal stability to a coating.


A suitable clay type preferably has a cation exchange capacity of 30 to 250 milliequivalents per 100 grams. When that capacity is higher than the upper limit mentioned, it proves to be difficult to finely disperse the clay at a molecular level because of the strong mutual interaction of the layers of clay. When the cation exchange capacity is lower than the lower limit

mentioned, the clay proves to be difficult to modify in that the interaction with the modifier is small. Preferably, a clay is used having a cation exchange capacity of from 50 to 200 milliequivalents per 100 grams.

Another layered, inorganic filler that can be used according to the invention is a layered double hydroxide (LDH). This material is a so-called anionic clay, consisting of small crystalline sheets of dimensions of a few nanometers, between which anions are located. By these anions are meant anions other than hydroxyl groups. A layered double hydroxide can be both natural and synthetic in nature. For a description of possible methods of preparation for a synthetic layered double hydroxide, reference is made to U.S. Patents 3,539,306 and 3,650,704.

Preferably, the layered double hydroxide has a large contact surface and an ion exchange capacity of 0.5 to 6 milliequivalents per gram. An LDH preferably used is a hydrotalcite or a hydrotalcite-like material, because these materials can be easily prepared synthetically, while the desired properties can be eminently controlled.

Found to be uncommonly suitable are hydrotalcites that satisfy the formula (I):



wherein M^{2+} is a bivalent cation, M^{3+} is a trivalent cation, x is a number between 0.15 and 0.5, y is 1 or 2, n is a number from 1 to 10, and A is an anion selected from the group consisting of Cl^- , Br^- , NO_3^- , SO_4^{2-} and CO_3^{2-} . The bivalent cation is preferably selected from the group of bivalent magnesium, zinc, nickel, iron, copper, cobalt, calcium and manganese ions and combinations of these bivalent cations. Most preferably, the bivalent cation is a magnesium, zinc or calcium ion or a combination thereof. The trivalent cation is preferably selected from the group of trivalent aluminum, chromium, iron, cobalt and manganese ions and combinations of these trivalent cations. Most preferably, the trivalent cation is an aluminum, chromium or iron ion or a combination thereof.

It is preferred that the filler, when it is being processed according to the invention, contains substantially no agglomerates of sheets which form the layered structure of the filler. Under normal circumstances the sheets form agglomerates, whereby they stack onto each other. According to the invention, it is preferred to substantially break these agglomerates, so that discrete sheets with a relative distance between the sheets of at least 50 Å, preferably at least 75 Å, and still more preferably at least 100 Å are formed. This distance can be suitably determined using x-ray diffraction techniques.

An example of a suitable procedure for breaking the agglomerates, i.e., for deagglomeration, is a method whereby the filler is dispersed in, preferably, water that is substantially free of ions. This water preferably has a temperature of 20-60°C. Preferably, the amount of filler is not more than 10% by weight, based on the dispersion, so that the viscosity remains low. This has a positive effect on the processability of the dispersion. Thereafter, the filler is allowed to swell for a period between half an hour and a few hours. Other methods of breaking the agglomerates in the filler are known to those skilled in the art.

According to the invention, the filler is subjected to an ion exchange with the modifier.

An important part of the invention is formed by the specific choice of the modifier. This is a compound which comprises at least two ionic groups, with at least four, preferably at least seven, atoms located between the two ionic groups. It has been found that a particularly homogeneous distribution of the modified filler in the composition is obtained when the modifier comprises an aromatic group, such as an optionally substituted benzene or naphthalene group. This advantage is noticeable especially when the aromatic group is located between the at least two ionic groups.

The nature of the ionic groups will depend on the kind of filler that has been selected. When the filler is a cationic clay, at least one ionic group

After the ion exchange, the modified filler is preferably washed a few times with water and filtrated. If desired, the material can be dried, for instance in an oven or by spray-drying or freeze-drying, whereafter it can be ground to form a powder to improve processability. The material thus

obtained can be formulated in a conventional manner in a composition for a coating.

To that end, in a random order, the modified filler and the polymer are dispersed in a suitable diluent. It has been found that especially
5 compositions based on polar diluents such as water, alcohols (ethanol), ethers, esters, ketones (acetone) and combinations thereof, benefit from the invention.

The polymer is mixed with the diluent and the modified filler, whereafter the whole composition is homogeneously mixed by means of
10 known dispersion techniques, such as mechanical stirring, ultrasound vibration, dispersing, etc. Depending on the nature of the curing reaction, initiator, additives and pigments can be added to the composition. The initiator content is normally about 0.01 to 10% by weight with respect to polymerizable units, preferably between 0.1 and 1% of the polymerizable
15 units. The additive content can range between 0 and 15% by weight of the whole composition, preferably between 0 and 3%. The pigment content can range between 0 and 50% by weight, being preferably between 0 and 25%. It is also possible to prepare a coating formulation completely, whereafter the modified filler is added. A homogeneous mixture is obtained according
20 to techniques known to those skilled in the art, such as ultrasonically vibrating the whole for, for instance, 30 minutes.

The polymer that is included in the composition can be any polymer that is conventional in compositions for coatings.

The following polymers can be used in the present composition:
25 polyurethanes; polyacrylates; polymethacrylates; polyesters; polyethers; polyolefins; polystyrene; polyvinyl chloride; alkyds; nitrocellulose; epoxides; phenol resins; amino resins; silicones; polysiloxanes, and organic-inorganic hybrid materials; and combinations thereof. The following polymers are preferred: polyurethanes; polyacrylates; polysiloxanes; polyesters;
30 polyethers and organic-inorganic hybrid materials. Organic-inorganic

hybrid materials are understood to be materials which are built up from a combination of polymeric organic and inorganic/ceramic components which are mutually chemically bonded on a molecular level, which may further contain inorganic nanoparticles dispersed therein.

5 The composition can be used for applying coatings in a conventional manner. Suitable application procedures are, for instance, pouring, misting, brush application and the like. After application, the diluent evaporates (drying) and a curing takes place. The present composition is suitable for applying coatings to substrates of all kinds.

10 Examples of materials on which the substrate may be based comprise wood, metal, plastic, glass, textile and the like.

 The invention will presently be further elucidated in and by the following examples.

15 Example 1

 20 Grams of an EXM 757 clay were dispersed in an excess of water and subjected to a reaction with 6.1 grams of methylene blue (95 meq methylene blue, based on 100 grams of solid clay, which is 100% of the exchange capacity of the clay). After stirring for 30 minutes at 60°C, the
20 solid clay, modified with methylene blue, was filtrated, and purified until there were no traces of chlorine ions present anymore. The material obtained was subsequently freeze-dried.

 The thus modified clay was used in a water-carried polyurethane/polycarbonate diol composition (NeoRez R986, commercially
25 available from Zeneca Resins B.V., solids content 35%). To that end, 1.02 grams of the modified clay were mixed with the composition, so that a product was obtained which contained 2.5% by weight of clay, based on the total amount of solid material. The mixture was stirred until no solid particles were visible anymore.

5

10

15

20

25

clay-containing layers proved to have a 30°C higher degradation temperature.

Example 3

5 20 Grams of an EXM 757 clay were dispersed in an excess of water and subjected to a reaction with 4.2 grams of methylene blue sodiumaminoundecanate (95 meq 4-amino-1-naphthalenesulfonic acid, based on 100 grams of solid clay, which is 100% of the exchange capacity of the clay). After stirring for 30 minutes at 60°C, the solid clay, modified with
10 4-amino-1-naphthalenesulfonic acid, was filtrated, and purified until there were no traces of chlorine ions present anymore. The material obtained was subsequently freeze-dried.

 The thus modified clay was used in an organic/inorganic hybrid composition. This composition contained 50 mol% of
15 3-glycidoxypropyltrimethoxysilane (Aldrich), 30 mol% of methyltrimethoxysilane (Aldrich) and 20 mol% of aluminum-tri(sec)butoxide (Aldrich). This hybrid composition was prepared by mixing of the constituents and hydrolysis utilizing 1 mole equivalent of water, based on the amount of alkoxides.

20 35 Grams of the hybrid composition (solids content 40 % by weight) were mixed with 1.09 grams of the modified clay. This amount is equivalent to 5 % by weight of clay, based on solids weight. A coating was applied and it was cured for 3 hours at 150°C. It was found that the layer thickness could simply be varied between 1 and 10 µm.

25 This is not possible with formulations not containing modified clay, because they often exhibit cracks.

CLAIMS

1. A method for preparing a composition for a coating, wherein a layered, inorganic filler is subjected to an ion exchange with a modifier, which modifier comprises at least two ionic groups, which groups are separated from each other by at least four atoms, and wherein the modified
5 filler, together with a polymer, is dispersed in a diluent.
2. A method according to claim 1, wherein the layered, inorganic filler is a natural or synthetic clay with a cation exchange capacity of 30-200 milliequivalents per 100 grams.
3. A method according to claim 2, wherein the modifier comprises at
10 least one cationic group.
4. A method according to claim 3, wherein the cationic group is an ammonium, phosphonium or sulfonium group.
5. A method according to claim 1, wherein the layered inorganic filler is a natural or synthetic layered double hydroxide.
- 15 6. A method according to claim 5, wherein the layered double hydroxide satisfies the formula (I):
$$[M_{(1-x)}^{2+} M_x^{3+} (OH)_2] [A_{x/y} \cdot n H_2O] \quad (I),$$
wherein M^{2+} is a bivalent cation, M^{3+} is a trivalent cation, x is a number between 0.15 and 0.5, y is 1 or 2, n is a number from 1 to 10, and A is an
20 anion selected from the group consisting of Cl^- , Br^- , NO_3^- , SO_4^{2-} and CO_3^{2-} .
7. A method according to claim 5 or 6, wherein the modifier comprises at least one anionic group.
8. A method according to claim 7, wherein the anionic group is a carbonate, sulfonate, or phosphonate group.
- 25 9. A method according to any one of the preceding claims, wherein the modifier comprises an aromatic group.
10. A method according to any one of the preceding claims, wherein the modifier is an organic dye.

11. A method according to any one of the preceding claims, wherein the diluent is polar.

12. A method according to any one of the preceding claims, wherein the polymer is selected from the group of polyurethanes; polyacrylates; polymethacrylates; polyesters; polyethers; polyolefins; polystyrene; polyvinyl chloride; alkyds; nitrocellulose; epoxides; phenol resins; amino resins; silicones; polysiloxanes, organic-inorganic hybrid materials; and combinations thereof

13. A method according to any one of the preceding claims, wherein further an initiator is dispersed in the diluent.

14. A composition for coating obtainable according to any one of the preceding claims.

15. A composition for coating comprising a polymer and a modified layered inorganic filler dispersed in a diluent, wherein the filler is modified by ion exchange with a modifier which comprises at least two ionic groups, which groups are separated from each other by at least four atoms.

16. Use of a composition according to claim 14 or 15 for forming a coating.

17. A coating formed upon curing of an applied composition according to claim 14 or 15.

18. A layered inorganic filler modified by ion exchange with a modifier which comprises at least two ionic groups, which groups are separated from each other by at least four atoms.

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
18 January 2001 (18.01.2001)

PCT

(10) International Publication Number
WO 01/04050 A1

(51) International Patent Classification?: **C01B 33/44**,
C08K 9/04, C08J 3/20

(NL). **RENTROP, Cornelis, Hermanus, Arnoldus**
[NL/NL]; Carré 141, NL-5017 JG Tilburg (NL).

(21) International Application Number: PCT/NL00/00479

(74) Agent: **PRINS, A. W.**; Vereenigde, Nieuwe Parklaan 97,
NL-2587 BN The Hague (NL).

(22) International Filing Date: 7 July 2000 (07.07.2000)

(25) Filing Language: Dutch

(26) Publication Language: English

(30) Priority Data:
1012587 13 July 1999 (13.07.1999) NL
1013373 22 October 1999 (22.10.1999) NL

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

(71) Applicant (*for all designated States except US*): **NED-ERLANDSE ORGANISATIE VOOR TOEGEPAST-NATUURWETENSCHAPPELIJK ONDERZOEK** TNO [NL/NL]; Schoemakerstraat 97, NL-2628 VK Delft (NL).

(72) Inventors; and

(75) Inventors/Applicants (*for US only*): **FISCHER, Hartmut, Rudolf** [DE/NL]; Dalkruid 13, NL-5713 TP Mierlo (NL). **BATENBURG, Lawrence, Fabian** [NL/NL]; Heikampen 93, NL-5672 SV Nuenen (NL). **MEINEMA, Harmen, Anne** [NL/NL]; Landweg 287, NL-3833 VJ Leusden (NL). **HOGERHEIDE, Marinus, Pieter** [NL/NL]; Meerten Verhoffstraat 73, NL-4811 AR Breda

Published:

- With international search report
- Before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments.

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette

(54) Title: NANOCOMPOSITE COATINGS

(57) Abstract: The invention relates to a method for preparing a composition for coating, wherein a layered, inorganic filler is subjected to an ion exchange with a modifier, which modifier comprises at least two ionic groups, which groups are separated from each other by at least four atoms, and wherein the modified filler, together with a polymer, is dispersed in a diluent.

PTO/PCT Rec'd 07 JAN 2002

WO 01/04050 A1

Please type a plus sign (+) inside this box → ☐

PTO/SB/01 (10-00)

Approved for use through 10/31/2002 OMB 0651-0032

Patent and Trademark Office U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number

DECLARATION FOR UTILITY OR DESIGN PATENT APPLICATION (37 CFR 1.63) <input type="checkbox"/> Declaration Submitted with Initial Filing OR <input checked="" type="checkbox"/> Declaration Submitted after Initial Filing (surcharge (37 CFR 1.16(e)))	Attorney Docket Number	310.1024
	First Named Inventor	FISCHER, Hartmut Rudolf
	COMPLETE IF KNOWN	
	Application Number	10 / 030,285
	Filing Date	01/07/2002
	Group Art Unit	
	Examiner Name	

As a below named inventor, I hereby declare that:

My residence, mailing address, and citizenship are as stated below next to my name

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

NANOCOMPOSITE COATINGS

the specification of which (Title of the Invention)

☐ is attached hereto
OR
☒ was filed on (MM/DD/YYYY) **01/07/2002** as United States Application Number or PCT International

Application Number **10/030,285** and was amended on (MM/DD/YYYY) **01/07/2002** (if applicable).

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment specifically referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56, including for continuation-in-part applications, material information which became available between the filing date of the prior application and the national or PCT international filing date of the continuation-in-part application.

I hereby claim foreign priority benefits under 35 U.S.C. 119(a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or any PCT international application having a filing date before that of the application on which priority is claimed.

Prior Foreign Application		Foreign Filing Date	Priority	Certified Copy Attached?	
				YES	NO
PCT/NL00/00479	PCT	07 July 2000	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
NL1012587	Netherlands	13 July 1999	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
NL1013373	Netherlands	22 October 1999	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

☐ Additional foreign application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto

I hereby claim the benefit under 35 U.S.C. 119(e) of any United States provisional application(s) listed below

Application Number(s)	Filing Date (MM/DD/YYYY)

☐ Additional provisional application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto.

[Page 1 of 2]

Burden Hour Statement This form is estimated to take 21 minutes to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231

Please type a plus sign (+) inside this box → ☒

PTO/SB/01 (10-00)

Approved for use through 10/31/2002 OMB 0651-0032

U.S. Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number

DECLARATION — Utility or Design Patent Application

Direct all correspondence to:

☒ Customer Number
or Bar Code Label**022856**OR ☐

Correspondence address below

PATENT TRADEMARK OFFICE

Name

Address

Address

City

State

ZIP

Country

Telephone

Fax

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under 18 U.S.C. 1001 and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

NAME OF SOLE OR FIRST INVENTOR :☐ A petition has been filed for this unsigned inventor

Given Name

(first and middle [if any]) Hartmut Rudolf

Family Name

or Surname FischerInventor's
Signature

Date

8/13/02Residence: City Mierlo

State

Country NLCitizenship GermanMailing Address Dalkruid 13Mailing Address 5731 TPCity Mierlo

State

ZIP

Country The Netherlands**NAME OF SECOND INVENTOR:**☐ A petition has been filed for this unsigned inventor

Given Name

(first and middle [if any]) Lawrence Fabian

Family Name

or Surname BatenburgInventor's
Signature

Date

Residence: City NuenenEindhoven

State

Country NLCitizenship DutchMailing Address Heikamp 93DOMMELSTRAAT 145Mailing Address 5672 SV5611 CKCity NuenenEindhoven

State

ZIP

Country The Netherlands☒ Additional inventors are being named on 1 supplemental Additional Inventor(s) sheet(s) PTO/SB/02A attached hereto.

Please type a plus sign (+) inside this box → +

PTO/SB/02A (11-00)
Approved for use through 10/31/2002 OMB 0651-0032
Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number

DECLARATION

ADDITIONAL INVENTOR(S)
Supplemental Sheet
Page 1 of 1

Name of Additional Joint Inventor, if any:				<input type="checkbox"/> A petition has been filed for this unsigned inventor	
Given Name (first and middle [if any])				Family Name or Surname	
Harmen Anne				Meinema	
Inventor's Signature					Date
Residence City	Leusden	State	Country	NL	Citizenship Dutch
Mailing Address	Landweg 287				
Mailing Address	3833 VJ				
City	Leusden	State	ZIP	Country The Netherlands	
Name of Additional Joint Inventor, if any:				<input type="checkbox"/> A petition has been filed for this unsigned inventor	
Given Name (first and middle [if any])				Family Name or Surname	
Marinus Pieter				Hogerheide	
Inventor's Signature	<i>M. Hogerheide</i>				Date 28/3/2002
Residence City	Breda	State	Country	NL	Citizenship Dutch
Mailing Address	Meerten Verhoffstraat 73				
Mailing Address	4811 AR				
City	Breda	State	ZIP	Country The Netherlands	
Name of Additional Joint Inventor, if any:				<input type="checkbox"/> A petition has been filed for this unsigned inventor	
Given Name (first and middle [if any])				Family Name or Surname	
Cornelis Hermanus Arnoldus				Rentrop	
Inventor's Signature					Date
Residence City	Tilburg	State	Country	NL	Citizenship Dutch
Mailing Address	Carré 141				
Mailing Address	5017 JG				
City	Tilburg	State	ZIP	Country Netherlands	

Burden Hour Statement This form is estimated to take 21 minutes to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

+

Please type a plus sign (+) inside this box → ☒

10020293 053302

PTO/SB/01 (10-00)

Approved for use through 10/31/2002 OMB 0651-0032

U S Patent and Trademark Office, U S DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number

DECLARATION — Utility or Design Patent Application



022856

Direct all correspondence to:



Customer Number
or Bar Code Label

OR ☐

Correspondence address below

PATENT TRADEMARK OFFICE

Name

Address

Address

City

State

ZIP

Country

Telephone

Fax

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under 18 U.S.C. 1001 and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

NAME OF SOLE OR FIRST INVENTOR :



A petition has been filed for this unsigned inventor

Given Name

(first and middle [if any]) Hartmut Rudolf

Family Name
or Surname

Fischer

Inventor's
Signature

Date

Residence: City

Mierlo

State

Country NL

Citizenship German

Mailing Address Dalkruid 13

Mailing Address 5731 TP

City Mierlo

State

ZIP

Country The Netherlands

NAME OF SECOND INVENTOR:



A petition has been filed for this unsigned inventor

Given Name

(first and middle [if any]) Lawrence Fabian

Family Name
or Surname

Batenburg

Inventor's
Signature

Date

Residence: City

Nuenen- Eindhoven

State

Country NL

Citizenship Dutch

Mailing Address Heikampen 93 Dommelsstr. 14^K

Mailing Address 5672 SV 5611 CK

City Nuenen

EINDHOVEN

State

ZIP

Country The Netherlands

☒ Additional inventors are being named on 1 supplemental Additional Inventor(s) sheet(s) PTO/SB/02A attached hereto.


Please type a plus sign (+) inside this box → +

PTO/SB/02A (11-00)

Approved for use through 10/31/2002 OMB 0651-0032
Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number

DECLARATION**ADDITIONAL INVENTOR(S)
Supplemental Sheet**Page 1 of 1

Name of Additional Joint Inventor, if any:		<input type="checkbox"/> A petition has been filed for this unsigned inventor	
Given Name (first and middle [if any])		Family Name or Surname	
Harmen Anne		Meinema	
Inventor's Signature			Date
Residence City	Leusden	State	Country NL
Citizenship Dutch			
Mailing Address		Landweg 287	
Mailing Address		3833 VJ	
City	Leusden	State	ZIP
Country The Netherlands			
Name of Additional Joint Inventor, if any:		<input type="checkbox"/> A petition has been filed for this unsigned inventor	
Given Name (first and middle [if any])		Family Name or Surname	
Marinus Pieter		Hogerheide	
Inventor's Signature			Date
Residence City	Breda	State	Country NL
Citizenship Dutch			
Mailing Address		Meerten Verhoffstraat 73	
Mailing Address		4811 AR	
City	Breda	State	ZIP
Country The Netherlands			
Name of Additional Joint Inventor, if any:		<input type="checkbox"/> A petition has been filed for this unsigned inventor	
Given Name (first and middle [if any])		Family Name or Surname	
Cornelis Hermanus Arnoldus		Rentrop	
Inventor's Signature			Date
Residence City	Tilburg	State	Country NL
Citizenship Dutch			
Mailing Address		Carré 141	
Mailing Address		5017 JG	
City	Tilburg	State	ZIP
Country Netherlands			

Burden Hour Statement This form is estimated to take 21 minutes to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

+

Please type a plus sign (+) inside this box → +


PTO/SB/02A (11-00)
 Approved for use through 10/31/2002 OMB 0651-0032
 Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

DECLARATION
ADDITIONAL INVENTOR(S)
Supplemental Sheet
 Page 1 of 1

Name of Additional Joint Inventor, if any:		<input type="checkbox"/> A petition has been filed for this unsigned inventor	
Given Name (first and middle [if any])		Family Name or Surname	
Harmen Anne		Mcinema	
Inventor's Signature			Date
Residence City	Leusden	State	Country NL Citizenship Dutch
Mailing Address	Landweg 287		
Mailing Address	3833 VJ		
City	Leusden	State	ZIP Country The Netherlands

Name of Additional Joint Inventor, if any:		<input type="checkbox"/> A petition has been filed for this unsigned inventor	
Given Name (first and middle [if any])		Family Name or Surname	
Marinus Pieter		Hogerheide	
Inventor's Signature			Date
Residence City	Breda	State	Country NL Citizenship Dutch
Mailing Address	Meerten Verhoffstraat 73		
Mailing Address	4811 AR		
City	Breda	State	ZIP Country The Netherlands

Name of Additional Joint Inventor, if any:		<input type="checkbox"/> A petition has been filed for this unsigned inventor	
Given Name (first and middle [if any])		Family Name or Surname	
Cornelis Hermanus Arnoldus		Rentrop	
Inventor's Signature			Date 8/march 2002
Residence City	Tilburg	State	Country NL Citizenship Dutch
Mailing Address	Carth Hugo Verrieststraat 145		
Mailing Address	5017 JC 5044 PK		
City	Tilburg	State	ZIP Country Netherlands

Burden Hour Statement This form is estimated to take 21 minutes to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.